EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	45	quantum and linear and ((decrypt$4 or decipher$4) adj3 (signal or beam or light or photon))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/22 10:09
L3	32	polarizer near9 (transmit$4 or send$4) near9 ((one or single) adj2 (signal or beam or key or photon))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/22 10:15
L4	7	polarizer near9 (transmit$4 or send$4) near9 ((one or single) adj2 (signal or beam or key or photon)) and (quantum or cryptography$4 or $2cipher$4 or encrypt$4 or scrambl$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/22 10:23
L5	1	polarizer near9 (transmit$4 or send$4) near9 (decipher$3 or decrypt$4 or decod$4 adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/22 10:24
L6	2	polarizer near9 (transmit$4 or send$4) near9 (key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/22 10:31
L7	122	phase card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/22 10:31
L8	0	phase card and (assign$4 near2 pi)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/22 10:32
L9	141	phase and (assign$4 near2 pi)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/22 10:32
L10	52	phase same (assign$4 near2 pi)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/22 10:38

EAST Search History

L11	26	phase same (assign$4 near2 pi) and (decipher$3 or decrypt$4 or decod$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/22 10:39
L12	0	phase same (assign$4 near2 pi) and (white and black) and (decipher$3 or decrypt$4 or decod$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/22 10:39
L13	1	phase same (assign$4 near2 pi) and (white and black)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/22 10:41
L14	7	(assign$4 near2 pi) and (white and black) near6 pixels	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/22 10:43
L15	1	(assign$4 near2 pi) same (white and black)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/22 10:44
L16	5	(assign$4 near2 "p") same (white and black)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/22 10:44
L17	456	380/54.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/22 12:52
L18	11	380/54.ccls. and quantum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/22 12:54
L19	103	380/263.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/22 12:55
L20	23	380/263.ccls. and quantum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/22 12:55

EAST Search History

S1	23	(taghi near2 arani) and scanner	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/19 16:47
S2	14	optical adj2 cryptography	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/19 16:48
S3	6	optical adj2 cryptography and phase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 07:50
S4	2	"20010011304".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/20 09:52
S5	2361	(cryptograph$4 or $2cipher$4 or encrypt$4) adj2 image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 08:03
S6	185	(nikon or canon).as. and (charged coupled device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 08:05
S7	23	(nikon or canon).as. and (charged coupled device) and phase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 08:07
S8	118	(nikon or canon).as. and (charged coupled device) and optical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 11:08
S9	0	(nikon or canon).as. and (charged coupled device) and (optical near3 cryptograp$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 08:08
S10	0	(nikon or canon).as. and (charged coupled device) and (optical near3 (encrypt$4 or cipher$4 or scrambl$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 08:25

S11	154641	lambda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 08:25
S12	31	(lambda or wavelength) same pi same (phase value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 08:35
S13	0	"D= (?F)/2p(n-1)"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 08:36
S14	0	"(?F)/2p(n-1)"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 10:41
S15	0	linear$3 plarized beam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 10:59
S16	6	improvement with optical with image with beam with polarized	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 11:03
S19	1	polarized beam split$4 and (phase card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 11:05
S20	142	polarized beam split$4 and (card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 11:08
S21	5	polarized beam split$4 and (card) and (cryptograph$4 or encrypt$4 or $2cipher$4 or scrambl$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 11:06
S22	12	(nikon or canon).as. and (polarized beam split$4 and card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 11:10

EAST Search History

| S23 | 0 | (nikon or canon).as. and (polarized beam split$4 and (cryptograph$4 or encrypt$4 or $2cipher$4 or scrambl$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/03/21 11:20 |
| S24 | 39 | (polarized beam split$4 and (cryptograph$4 or encrypt$4 or $2cipher$4 or scrambl$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/03/21 11:21 |

Google

Web Images Video News Maps more »

assigning π and 0 to white and black pixels   Search   Advanced Search
Preferences

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web

Results **21 - 30** of about **52,800** for **assigning π and 0 to white and black pixels**. (0.12 seconds)

[PDF] Technical Report
File Format: PDF/Adobe Acrobat - View as HTML
camera and then **assigning** color classes to selected parts of the images. ... As no
camera is perfect, the perceived **white and black pixels** ...
www.science.uva.nl/~arnoud/research/
aibo/AutomaticColorCalibrationTechnicalReport.pdf - Similar pages

[PDF] Mathematical morphology for analysing soil structure from images
File Format: PDF/Adobe Acrobat
that only **black pixels** have been removed (changed to **white**) - ... sin θ) and d cos θ
pixels respectively. Averaging between **0** and 45° (. π ...
www.blackwell-synergy.com/doi/pdf/10.1046/j.1365-2389.1998.00160.x -
Similar pages

[PDF] Assignment 3: Latent Variable Models
File Format: PDF/Adobe Acrobat - View as HTML
Consider a data set of binary (**black** and **white**) images. Each image is arranged into
a ... π. K. to denote the mixing propor-. tions ($0 \leqslant$ π ...
www.gatsby.ucl.ac.uk/~zoubin/course03/asst3em.pdf - Similar pages

[PDF] Horizontal Scale of Roughness Variations for Realistic Landscapes
File Format: PDF/Adobe Acrobat
Formally, the average edge intersection length is given by. dl =. π/2. **0** ... totally
surrounded by other **black pixels** contribute nought, as does any **white** ...
www.springerlink.com/index/R423582544172180.pdf - Similar pages

[PDF] Bayesian neural networks based evaluation of binary speckle data ...
File Format: PDF/Adobe Acrobat - View as HTML
To **assign** a prior for the bias parameters.p (b|l) we use the maximum ... **0**. (N). π ...
using a binomial distribution with p(**white pixel|white**) = p(**black** ...
www.ipp.mpg.de/OP/Datenanalyse/Publications/Papers/toussaint04b.pdf -
Similar pages

Polarization measurements using a commercial off-the-shelf digital ...
It calculates the Stokes parameters for each scene **pixel** along with the ... Since
black (0, 0, 0), **white (255, 255, 255)**, and yellow (255, 255, 0) are ...
link.aip.org/link/?OPEGAR/44/023604/1 - Similar pages

[PDF] Bayesian Wavelet Domain Segmentation
File Format: PDF/Adobe Acrobat - View as HTML
algorithm, can be made in parallel by considering two independent sets of **pixels**
referenced by. the indexes of the **black** and **white** cases of a chessboard. ...
braultp.free.fr/papiers/Brault_ME04_Seg_Wav_Bay.pdf - Similar pages

[PDF] Reliable Two-Dimensional Graphing Methods for Mathematical ...
File Format: PDF/Adobe Acrobat - View as HTML
placing red **pixels** with either **white pixels** or **black pixels**. ... π. 2.) = 0 over [−8, 8]
× [−2, 6] with. a 256 × 128 pixmap. ...
www.dgp.toronto.edu/papers/jtupper_SIGGRAPH2001.pdf - Similar pages

[PDF] Semi-supervised Learning with Penalized Probabilistic Clustering
File Format: PDF/Adobe Acrobat - View as HTML
π. z. n. i,j. exp(W. p. ij. δ(z. i. , z. j.)) → **0**. ... expert, **black pixels** denote non-snow
area and **white pixels** denote snow area. Clustering ...
books.nips.cc/papers/files/nips17/NIPS2004_0867.pdf - Similar pages

Reindeer Graphics - Part19

A·Photoshop action implementing this sequence and **assigning** it to a ... Typically a
black pencil mark several **pixels** in diameter can be used to mark color ...
www.reindeergraphics.com/index.php?option=com_
content&task=view&id=191&Itemid=139 - 55k - Cached - Similar pages

Result Page: **Previous** 1 2 3 4 5 6 7 8 9 10 11 12   **Next**

assigning π and 0 to white and black   Search

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - About Google

©2007 Google